



PENGUMUMAN PELELANGAN

NOMOR : 165.PENG/SCM/PJBS/2018

TENTANG

PENGADAAN KONTRAK PAYUNG CONSUMABLE DALAM RANGKA OVERHOUL UBJOM JAWA

Tim Pengadaan Barang/Jasa PT Pembangkitan Jawa Bali Services akan melaksanakan Pelelangan Pengadaan Kontrak Payung Consumable Dalam Rangka Overhaul UBJOM Jawa, dengan persyaratan sebagai berikut :

1 Persyaratan Peserta Lelang :

Persyaratan Penyedia Barang/Jasa yang dapat mengikuti Pelelangan ini sebagai berikut :

- a. Mempunyai Surat Ijin Usaha Perdagangan (SIUP) sesuai dengan lingkup pekerjaan yang masih berlaku.
- b. Mempunyai kekayaan bersih diatas Rp 600,000,000.00.
- c. Penyedia Barang/ Jasa tidak sedang menjalani sanksi Blacklist di lingkungan PT PJBS.
- d. Penyedia Barang/Jasa memiliki pengalaman menyediakan barang consumable dalam kurun waktu 3 (tiga) tahun dengan nilai kontrak minimal Rp. 300.000.000,00, Pengalaman tersebut dibuktikan melalui:
 - 1) Surat perintah kerja/Kontrak pekerjaan; dan
 - 2) Berita Acara penyelesaian pekerjaan atau serah terima barang;

2 Pelaksanaan Pengadaan

- a. Pendaftaran dan Pengambilan Dokumen :
 - Tanggal : 16 Maret 2018 s/d 22 Maret 2018
 - Waktu : 09.00 s.d. 14.00 WIB
 - Tempat : 1. PT PEMBANGKITAN JAWA-BALI SERVICES
Jalan Raya Bandara Juanda No. 17
Desa Semambung, Gedangan, Sidoarjo Jawa Timur 61253
atau
2. melalui email pengadaan@pjbservices.com
- b. Membayar biaya dokumen sebesar Rp 250.000,00
Pembayaran dilakukan dengan pemindahbukuan/transfer melalui Bank ke rekening sebagai berikut :
 - Bank : BRI
 - Nomor Rekening : 009601001463305
 - Atas nama : PT. PJB ServicesBukti Transfer atas penyetoran tersebut agar discan dan diemail : whindy.nurwanda@gmail.com cc nanikusni@gmail.com dan pengadaan@pjbservices.com.
Dengan diberi Subject : **BUKTI TRANSFER PENGADAAN KONTRAK PAYUNG CONSUMABLE DALAM RANGKA OVERHOUL UBJOM JAWA NO. 165.PENG/SCM/PJBS/2018**
- c. Dokumen Pengadaan dapat diemail atau diambil dalam bentuk *hard copy* atau *soft copy*.

PT PJB SERVICES

Jl. Raya Bandara Juanda No. 17 Sidoarjo 61253
Telp. (62-31) 8548391 - 8557909, Fax : (62-31) 8548360
e-mail : info@pjbservices.com

www.pjbservices.com

TOTAL SOLUTION
FOR POWER GENERATION



3 Spesifikasi Barang/ Jasa

Sesuai daftar terlampir

Demikian disampaikan untuk menjadi perhatian.

Sidoarjo, 16 Maret 2018

Tim Pengadaan Barang/ Jasa PT. PJB Services

Catatan : Peserta yang mendaftar diharapkan membawa flashdisk apabila membutuhkan softcopy dokumen

PT PJB SERVICES

Jl. Raya Bandara Juanda No. 17 Sidoarjo 61253
Telp. (62-31) 8548391 - 8557909, Fax : (62-31) 8548360
e-mail : info@pjbservices.com

www.pjbservices.com

TOTAL SOLUTION
FOR POWER GENERATION

Lampiran Pengumuman	:	165.PENG/SCM/PJBS/2018
Tanggal	:	16 MARET 2018

SPESIFIKASI BARANG YANG DIMINTAKAN PENAWARAN

NO	NAMA MATERIAL	REFERENSI	SATUAN	PLTU	PLTU	PLTU TANJUNG	PLTU	PLTU
				INDRAMAYU	REMBANG	AWAR - AWAR	PACITAN	PAITON 9
				JUMLAH	JUMLAH	JUMLAH	JUMLAH	JUMLAH
1	ADHESIVE, 20 GR, TRANSPARANT	LOCTITE 495	TUBE	185	110	150	115	35
2	ADHESIVE, 250°C, 100Gram/Tube	THREE BOND 1211	TUBE	220	130	180	140	40
3	ADHESIVE, PLASTIC STEEL, DEXTONE	DEXTONE	SET	25	15	20	20	5
4	ADHESIVE, REDDISH BROWN, VISCOSITY 1000 (PA-S), PRESSURE RESISTANCE 7 MPA	THREE BOND 1101	TUBE	185	110	150	115	35
5	BAG, PLASTIC 50KG		EA	6000	3500	5000	4000	1000
6	BATTERY, NONRECHARGEABLE, AA, CYLINDER, 1.5 V		EA	600	350	500	400	100
7	BATTERY, NONRECHARGEABLE, AAA, CYLINDER, 1.5 V		EA	600	350	500	400	100
8	BATTERY, NONRECHARGEABLE, BIG SIZE, TYPE:R205/UM.1/0		EA	600	350	500	400	100
9	BATTERY, NONRECHARGEABLE, SQUARE, 9 VDC		EA	560	330	460	360	100
10	BATTERY, NONRECHARGEABLE, BIG SIZE, DRY CELL, 1,5 VOLT		EA	2700	1600	2200	1700	500
11	BRUSH, PAINT, 1 IN, FINE QUALITY		EA	298	174	248	190	50
12	BRUSH, PAINT, 1/2 IN, FINE QUALITY	KWASTEN	EA	85	50	70	60	15
13	BRUSH, PAINT, 3 IN, FINE QUALITY		EA	608	362	492	387	116
14	BRUSH, PAINT, 4 IN, FINE QUALITY		EA	408	242	332	272	76
15	BRUSH, SCRUB, DIA 6MM, L:252MM		EA	85	50	70	60	15
16	BRUSH, WIRE, ROTARY CUP, M10 X 1.5 MM, DIA 3 IN		EA	265	155	220	160	45
17	BRUSH, WIRE, ROTARY WHEEL, ID 12MM, OD 100MM		EA	85	50	70	60	15
18	BRUSH, WIRE, SCRAPER PLASTIC, DIA 23MM, LENGTH 50MM		EA	85	50	70	60	15
19	BRUSH, WIRE, SCRATCH BRASS, 8 ROWS		EA	677	403	548	408	129
20	BRUSH, WIRE, SCRATCH, STEEL, 6 LINES, FOR COMMON USE		EA	409	242	334	250	75
21	BRUSH, WIRE, SCRATCH, STEEL, 6 ROW		EA	466	279	374	294	92
22	CABLE, TIES, 150 MM, NYLON 66, WHITE, 4,8 MM, 100 EA/PACK		EA	1700	1000	1400	1100	300
23	CABLE, TIES, LENGTH 100 MM, WIDTH 2.5 MM, 100 EA/PACK		EA	1700	1000	1400	1100	300
24	CABLE, TIES, SIZE 9 MM X 750 MM		EA	1700	1000	1400	1100	300
25	CLEANER, DEGREASER, LIQUID, VAP. PRESS : 23 mbar / 2300 pa, PH : 4.3 ~ 5.0, COLOR : YELLOW ISH, DRATHON 9, 25 ltr/ PAIL		PAIL	110	65	90	70	20
26	CLEANER, ELECTRIC CONTACT TYPE: 1010/603, 400 ML/CAN, FOR CARD AND PCB	DRATHON 150PS	EA	220	130	180	140	40
27	CLEANER, GLASS VOL 580 GRAM, MULTI SURFACE CLEANER		EA	110	65	90	70	20
28	CLEANER, GLASS, SPRAY, 500 mL		EA	110	65	90	70	20
29	CLEANER, INNER MOTOR, 1 PAIL = 30 LITER, NON FLAMMABLE	S 250A	L	350	200	300	250	50
30	CLEANING COMPOUND, ELECTRICAL CONTACT CLEANING PASTE (GREEN, MEDIUM VOLTAGE)	SAKAPHEN	TUBE	186	108	156	120	30
31	PAPER, ABRASIVE, ROTARY, 40 MM		EA	35	20	30	25	5
32	CLEANING COMPOUND, ELECTRICAL CONTACT CLEANING PASTE (RED, HIGH VOLTAGE)	SAKAPHEN	CAN	70	40	60	50	10
33	CLEANING COMPOUND, ELECTRICAL CONTACT, CLEANER FLAMMABLE		CAN	186	108	156	120	30
34	CLOTH, CLEANING, 500X400X4 MM, THICK, COLOR BLUE		EA	300	170	260	295	40
35	CLOTH, CLEANING, 500X400X4 MM, THICK, COLOR WHITE		EA	300	170	260	295	40
36	CLOTH, CLEANING, 500X400X4 MM, THICK, COLOR YELLOW		EA	300	170	260	295	40
37	COATING COMPOUND, ZINC DRY FILM LUBRICANT	MOLYKOTE D 321 R	KG	70	40	60	50	10
38	COLLET WELDING TORCH COLLET, 2.4 MM, N.O.10; BRUSH, WP-9		EA	70	40	60	65	10
39	COLLET WELDING TORCH COLLET, 2.4 MM, N.O.5, WP-26		EA	70	40	60	65	10
40	COLLET WELDING TORCH NOZZLE, CERAMIC, NO. 6, FOR LAS ARGON		EA	150	85	130	103	20
41	CONTACT CLEANER PRECISION ELECTRONIC CLEANING SOLVENT		CAN	270	160	220	170	50
42	DETERGENT, CREAM, 500g		EA	406	238	336	253	70
43	DETERGENT, LAUNDRY, POWDER, 800gram		EA	380	225	310	255	70
44	DETERGENT, LAUNDRY, 800 ML, LIQUID, REFILL	SUNLIGHT	EA	380	225	310	255	70
45	ELECTRICAL CONTACT CLEANER FLAMMABLE	SEYTON 1010	CAN	316	182	268	201	48
46	FLASHLIGHT, POLICE 1200 LUMENS, 1200		EA	215	125	180	145	35
47	GLOVES, MAT. ASBES, SHORT		PAIR	60	35	50	50	10
48	GLOVES, COTTON, TYPE 6 BENANG		PAIR	30200	17700	25000	18400	5200
49	GLOVES, INSULATION, 20KV		PAIR	70	40	60	55	10
50	GLOVES, LEATHER, 12 IN		PAIR	120	70	100	80	20
51	GLOVES, MAT. ASBES, LONG		PAIR	50	30	40	35	10
52	GLOVES, RUBBER, LONG		PAIR	70	40	60	45	10
53	GLOVES, WELDING, FOR ARGON WELDING		EA	95	55	80	60	15
54	GLOVES, WELDING, LEATHER, LONG		PAIR	120	70	100	80	20

PT PJB SERVICES

Jl. Raya Bandara Juanda No. 17 Sidoarjo 61253
 Telp. (62-31) 8548391 - 8557909, Fax : (62-31) 8548360
 e-mail : info@pjbsservices.com



55	GREASE GREASE,GENERAL PURPOSE, 2, LITHIUM COMPLEX, 208 MM2/S, 281, -20 to 160 DEG C, NATURAL, 287 DEG C, 1 PAIL = 15 KG	TOTAL MULTISCOMPLEX EP 2A	PAIL	70	40	60	50	10
56	GREASE NLGI 3, LITHIUM COMPLEX, 165 MM2/S, 220-250, -20 to 160 DEG C, YELLOW WISH, >240 DEG C, 16 KG	TOTAL MULTISCOMPLEX EP 3A	CAN	70	40	60	50	10
57	GREASE CONTACT, 380V/ 220V, DIELECTRIC TUNE UP, 3 OZ		CAN	60	35	50	40	10
58	GREASE CONTACT, ELECTRICALLY CONDUCTIVE GREASE SHIELD, CONDUCTIVE	ALMINOX	TUBE	500	300	400	325	100
59	GREASE, SPECIAL PURPOSE CONTACT GREASE		TUBE	95	55	80	65	15
60	GRINDSTONE, MOUNTED, SIZE 200 X 50 X 25 MM		EA	310	180	260	250	50
61	INSPECTION PENETRANT SPOTCHECK SKD-52/DEVELOPER	MAGNAFLUX	CAN	265	155	220	190	45
62	INSPECTION PENETRANT SPOTCHECK SKF-5/REMOVER	MAGNAFLUX	CAN	265	155	220	190	45
63	INSPECTION PENETRANT SPOTCHECK SKL-SP1/PENETRANT	MAGNAFLUX	CAN	265	155	220	190	45
64	INSULATION VARNISH, ELECTRICAL, COLOUR CLEAR, TYPE SPRAY		L	195	115	160	130	35
65	INSULATION VARNISH, ELECTRICAL, RED		CAN	195	115	160	130	35
66	KNIFE, SCRAPPING, 2 IN		EA	466	279	374	284	92
67	KNIFE, SCRAPPER, 1 IN		EA	260	155	210	160	50
68	KNIFE, SCRAPPER, 1-1/2 IN		EA	260	155	210	160	50
69	KNIFE, SCRAPPER, SIZE 3 INCH, FOR COMMON USE		EA	207	123	168	128	39
70	KNIFE, SCRAPPER, SIZE 4 INCH, FOR COMMON USE		EA	260	155	210	160	50
71	LENS, HELMET, WELDING, BLACK NO.11		EA	170	100	140	105	30
72	LUBRICATING GUN, HAND GREASE GUN MANUAL, CAP. 1 KG;		EA	95	55	80	70	15
73	MARKER SIGNPEN, SPIDOL, PERMANENT		EA	480	280	400	305	80
74	MARKER SPIDOL ARTLINE 70		EA	300	175	250	215	50
75	MARKER TUBE TYPE, SPIDOL, PERMANENT, COLOR WHITE		EA	530	310	440	330	90
76	MASK, AIR FILTERING, WHITE	KASA HUSADA	EA	44600	25600	38000	26400	6600
77	MASK, GAS, WITH CARTRIDGE		EA	60	35	50	40	10
78	OIL, LUBRICATION, ENGINE OIL STP (OIL TREATMENT);		CAN	120	70	100	80	20
79	PAINT SPRAY, BLACK	PYLOX	CAN	105	60	90	65	15
80	PAINT SPRAY, RED	PYLOX	CAN	70	40	60	50	10
81	PAINT SPRAY, WHITE	PYLOX	CAN	85	50	70	55	15
82	PAINT, ANTICORROSIVE COATING, COLOR OLD GREEN, 4.7 LITER/GALON	JOTUN, JOTAMASTIC 87	PAIL	70	40	60	50	10
83	PAINT, FINISHING, DARK GREEN, HARD TOP XP RAL 1000 (5 LITER)	JOTUN	CAN	175	100	150	125	25
84	PAINT, FINISHING GLOSSY ALCYD PRIMER 5 LITER (RAL 5015) SKY BLUE	JOTUN	L	120	70	100	80	20
85	PAINT, FINISHING GLOSSY ALCYD PRIMER 5 LITER (RAL 7012) BASALT GREY	JOTUN	L	175	100	150	125	25
86	PAINT, FINISHING GLOSSY ALCYD PRIMER 5 LITER (RAL 6032) SIGNAL GREEN	JOTUN	L	170	100	140	130	30
87	PAINT, FINISHING HARD TOP (XP RAL 7044) SILK GREY; METAL	JOTUN	L	230	135	190	150	40
88	PAINT, FINISHING, KC 54	JOTUN	KG	70	40	60	50	10
89	PAINT, IRON, FINISHING, BLUE GREY, RAL. 7031, 5 KG/CAN	HEMPALIN ENAMEL 52140	CAN	175	100	150	125	25
90	PAINT, IRON, FINISHING, GREEN GAY, RAL. 7009, 5 KG/CAN	HEMPALIN ENAMEL 52140	CAN	210	120	180	135	30
91	PAINT, IRON, FINISHING, LIGHT GREY, RAL. 7035, 5 KG/CAN	HEMPALIN ENAMEL 52140	CAN	175	100	150	125	25
92	PAINT, IRON, FINISHING, WHITE, RAL. 9016, 5 KG/CAN	HEMPALIN ENAMEL 52140	CAN	110	65	90	70	20
93	PAINT, IRON, MENI, RED, 1 KG/CAN		KG	180	105	150	130	30
94	PAINT, PRIMING, GREEN, 1 KG/CAN	EPOXY	KG	180	105	150	130	30
95	PAINT, PROTECTING	HEMPEL	L	190	110	160	160	30
96	PLYWOOD, SIZE 122X244X4MM		SHT	350	200	300	250	50
97	PAPER FILTER 1000 X 1000 X T.25MM, MAT. VU FIBROUS		SHT	145	85	120	100	25
98	PAPER, ABRASIVE, NO 1000, WATER PROOF		SHT	925	550	750	575	175
99	PAPER, ABRASIVE, NO 1200, WATER PROOF		SHT	270	160	220	170	50
100	PAPER, ABRASIVE, NO 240, WATER PROOF		SHT	270	160	220	170	50
101	PAPER, ABRASIVE, NO 280, WATER PROOF		SHT	270	160	220	170	50
102	PAPER, ABRASIVE, NO 320, ROLL		ROLL	170	100	140	120	30
103	PAPER, ABRASIVE, NO 400, WATER PROOF		SHT	60	35	50	40	10
104	PAPER, ABRASIVE, NO. 300, WATER PROOF		SHT	310	185	250	195	60
105	PAPER, ABRASIVE, NO.120, SILICON CARBIDE		SHT	85	50	70	55	15
106	PAPER, ABRASIVE, NO.180		SHT	270	160	220	170	50
107	PAPER, ABRASIVE, WATERPROOF, 9X11, NO. 600		SHT	60	35	50	40	10
108	PENETRATING OIL PENETRATING OIL SPRAY, 382ML, WD40		EA	540	320	440	350	100
109	PENETRATING OIL PENETRATING OIL SPRAY, CORIUM 127		CAN	1040	620	840	650	200
110	PENETRATING OIL PENETRATING OIL, DRATHON 220		CAN	405	240	330	270	75
111	PLASTIC, SHEET, SIZE : 1200 MM X 0.3 MM X 50 M		ROLL	110	65	90	70	20
112	RAG, WIPING, COTTON, COLOR		KG	2600	1500	2200	1600	400
113	RAG, WIPING, COTTON, WHITE		KG	2750	1600	2300	1700	450
114	ROD, WELDING 2.4 MM, AWS ER316L, TIG FILLER		KG	229	136	186	186	43
115	ROD, WELDING 2.5 MM, AWS ER705-G, FILLER		KG	229	136	186	186	43
116	ROD, WELDING 2.6 MM, AWS E312-16; MAT. PROBLEM STEEL		KG	229	136	186	186	43
117	ROD, WELDING 2.6 MM, AWS SF A5.4 E316L-16; MAT. STA		KG	229	136	186	186	43
118	ROD, WELDING 3.2 MM, AWS E316L-16, MAT. SS		KG	44	26	36	31	8
119	ROD, WELDING 3.2 MM, GOUGING		KG	44	26	36	31	8
120	ROD, WELDING 4 MM, LAS GAUGING 110		KG	85	50	70	60	15

PT PJB SERVICES

Jl. Raya Bandara Juanda No. 17 Sidoarjo 61253
Telp. (62-31) 8548391 - 8557909, Fax : (62-31) 8548360
e-mail : info@pjbservices.com

www.pjbservices.com

TOTAL SOLUTION
FOR POWER GENERATION



121	ROD, WELDING, 2.6MM, LB-52		KG	229	136	186	186	43
122	ROD, WELDING, 3.2 MM, LB-52		KG	44	26	36	31	8
123	ROD, WELDING, 4MM, SIZE 4 X 400 MM, LB 52U		KG	85	50	70	60	15
124	ROD, WELDING, 7 IN X 3/32 IN	TUNGSTEN	KG	85	50	70	60	15
125	ROLLER PAINT, 1 IN, P 10 CM, REFILL		EA	340	200	280	250	60
126	ROLLER,PAINT, 1 INCH, 10 CM, INCLUDE STICK		SET	340	200	280	220	60
127	ROPE, FIBROUS, 1/2IN, MAT. NYLON/PLASTIC		M	700	400	600	500	100
128	ROPE, FIBROUS, 3/16 IN (5 MM), MAT. NYLON/PLASTIC		M	630	370	520	420	110
129	ROPE, FIBROUS, DIAMETER 10MM, MAT. NYLON/PLASTIC		M	1600	950	1300	1000	300
130	SAWDUST, WOOD, SIZE 25 KG/BAG		BAG	310	180	260	200	50
131	SCOURING PASTE THREAD PASTE	MOLYKOTE DW 1000	KG	123	72	102	92	21
132	SEAL DUCT EMULSION ACRYLIC SEALANT, 380 ML, GREY		ROLL	60	35	50	40	10
133	SEAL TAPE 2 IN		ROLL	155	90	130	115	25
134	SEAL TAPE SIZE 12 MM X 1000 MM X 0.075 MM, PTFE THREAD SEAL		ROLL	360	215	290	225	70
135	SHEET, TECHNICAL TEFLON, SIZE 1000 X 1000 X 3MM		SHT	66	39	54	44	12
136	SHIM PLATES 300 X 1000 X 0.05 MM; MAT. SUS		SHT	66	39	54	44	12
137	SHIM PLATES 300 X 1000 X 0.07 MM; MAT. SUS		SHT	66	39	54	44	12
138	SHIM PLATES 300 X 1000 X 0.1 MM; MAT. SUS		SHT	66	39	54	44	12
139	SHIM PLATES 300 X 1000 X 0.2 MM; MAT. SUS 304		SHT	66	39	54	44	12
140	SHIM PLATES 300 X 1000 X 0.3 MM; MAT. SUS		SHT	66	39	54	44	12
141	SHIM PLATES 300 X 1000 X 0.4MM; MAT. SUS;		SHT	66	39	54	44	12
142	SHIM PLATES 300 X 1000 X 0.5 MM; MAT. SUS		SHT	66	39	54	44	12
143	SHIM PLATES 530 X 1100 X 0.5 MM; MAT. SUS		SHT	66	39	54	44	12
144	STONE SHARPENING, 200 X 50 X 25 MM		EA	120	70	100	80	20
145	TALCUM POWDER, 180GR/CAN		CAN	120	70	100	90	20
146	TAPE SAFETY SEA EQUIPMENT 3 IN X 500 M; PLASTIC; BARRICADE TAPE		ROLL	35	20	30	25	5
147	TAPE SAFETY SEA EQUIPMENT 3 IN X 500 M; PLASTIC; RED AND WHITE BA		ROLL	35	20	30	25	5
148	TAPE, INSULATION, ELECTRICAL, DOUBLE TAPE, 50 MM		ROLL	41	24	34	29	7
149	TAPE, PAPER, INSULATION, 1 IN X 36M		ROLL	400	235	330	250	70
150	TAPE, PAPER, INSULATION, 2 IN X 36M		ROLL	220	130	180	140	40
151	TAPE, PAPER, INSULATION, 3 IN X 36M		EA	220	130	180	140	40
152	TARPAULIN, 10 X 12 M X 0.1MM		SHT	35	21	28	21	7
153	TARPAULIN, 3 X 4 M		SHT	35	21	28	21	7
154	TARPAULIN, 4 X 6 M		SHT	35	21	28	21	7
155	TARPAULIN, 5000 X 7000 X 0.1 MM		SHT	35	21	28	21	7
156	THINNER THINNER, CLEAR, ±20 LITER/PAIL; FLASH POINT AT 25 DEG C; VOC 850 gms/liter;	THINNER 17 JOTUN	PAIL	135	80	110	85	25
157	THINNER THINNER,PAINT PRODUCTS, A SPECIAL @ 5 LITER		CAN	270	160	220	170	50
158	THINNER THINNER,PAINT PRODUCTS, A SPECIAL, 1 LITER/CAN		CAN	270	160	220	170	50
159	WHEEL, ABRASIVE, 100 X 16 X 3MM, NIPPON RESIBON		EA	582	346	472	365	110
160	WHEEL, ABRASIVE, 100 X 16 X 4MM, NIPPON RESIBON		EA	95	55	80	65	15
161	WHEEL, ABRASIVE, 100 X 16 X 6MM, NIPPON RESIBON		EA	328	194	268	320	60
162	WHEEL, ABRASIVE, 80 X 22 X 6MM		EA	582	346	472	365	110
163	WHEEL, ABRASIVE, CUTTER, 100 X 16 X 6 MM		EA	328	194	268	320	60
164	WHEEL, ABRASIVE, CUTTER, 105 X 16 X 3 MM, SPEC A30P BF		EA	582	346	472	365	110
165	WHEEL, ABRASIVE, CUTTER, 355 X 3 X 25.4 MM		EA	85	50	70	60	15
166	WHEEL, ABRASIVE, SIZE : 180 X 22 X 3 MM		EA	170	100	140	120	30
167	WIRE, ELECTRICAL LEAD, 1.5MM		ROLL	5	3	4	4	1
168	WIRE, ELECTRICAL LEAD, 2.0MM		ROLL	5	3	4	4	1
169	WIRE, ELECTRICAL LEAD, 3.0MM		ROLL	5	3	4	4	1
170	WIRE, LOCKING, ANTIPIRFERAGE SEAL LOCK WIRE; 1 MM; SUS;		KG	5	3	4	4	1
171	WIRE, LOCKING, ANTIPIRFERAGE SEAL LOCK WIRE; 1.0 MM; INCONNEL;		KG	5	3	4	4	1
172	WIRE, NON ELECTRICAL, LEAD, 0.5 MM, 50 M/ROLL		ROLL	5	3	4	4	1
173	WIRE, NONELECTRICAL, LEAD, 1 MM, 50 M/ROLL		ROLL	5	3	4	4	1
174	WOOD, 4 X 6 X 400CM		EA	120	70	100	80	20
175	WOOD, KAMPER, 20 X 200 X 1000 MM		EA	240	140	200	160	40

PT PJB SERVICES

Jl. Raya Bandara Juanda No. 17 Sidoarjo 61253
Telp. (62-31) 8548391 - 8557909, Fax : (62-31) 8548360
e-mail : info@pjbservices.com

www.pjbservices.com

TOTAL SOLUTION
FOR POWER GENERATION