

NOMOR 837.Peng/SCM/PJBS/2023

TENTANG

PENGADAAN LATHE MACHINE 400 & 860 TOOLS WORKSHOP KANTOR PUSAT DALAM RANGKA SKI PT PJB SERVICES TAHUN 2023

Tim Pengadaan Barang/Jasa PT Pembangkitan Jawa Bali Services akan melaksanakan Pelelangan Pengadaan Lathe Machine 400 & 860 Tools Workshop Kantor Pusat Dalam Rangka SKI PT PJB Services Tahun 2023 dengan persyaratan sebagai berikut :

1. Persyaratan Peserta Lelang

- a. Terdaftar di VMS (Vendor Management System) PJB Services.
- b. Memiliki pengalaman kerja pengadaan machine tools atau alat sejenis minimal 1 (satu) kali dalam kurun waktu 3 (tiga) tahun terakhir. dibuktikan dengan copy :
 - 1) Copy Surat Perintah Kerja/Kontrak Pekerjaan; atau
 - 2) Berita Acara Pemeriksaan Barang atau Berita Acara Penyelesaian Pekerjaan;

2. Pelaksanaan Pengadaan

- a. Pendaftaran dan Pengambilan Dokumen :

Hari/Tanggal	:	Rabu, 14 Juni 2023 sd Rabu, 21 Juni 2023
Waktu	:	Pukul 09:30 s/d 15:30 WIB
Tempat	:	- PT. PEMBANGKITAN JAWA BALI SERVICES Jl. Raya Bandara Juanda No 17 Desa Semambung, Gedangan Sidoarjo - Atau melalui email : pengadaan@pjbservices.com

dengan diberi subyek :

SURAT PERNYATAAN MINAT PENGADAAN LATHE MACHINE 400 & 860 TOOLS WORKSHOP KANTOR PUSAT DALAM RANGKA SKI PT PJB SERVICES TAHUN 2023

- b. Aanwijzing atau Penjelasan Dokumen:

Hari/Tanggal	:	Senin, 19 Juni 2023
Waktu	:	Pukul 10:30 WIB
Tempat	:	- PT. PEMBANGKITAN JAWA BALI SERVICES Jl. Raya Bandara Juanda No 17 Desa Semambung, Gedangan Sidoarjo - Atau Pelaksanaan penjelasan lelang dapat dilakukan melalui media daring atau Internet (email, video conference, dan lain-lain) yang akan diinformasikan berikutnya.
- c. Dokumen Pengadaan dapat di-email atau diambil dalam bentuk soft copy.

3. Spesifikasi Pekerjaan

Sesuai daftar Terlampir

Demikian disampaikan untuk menjadi perhatian.

Sidoarjo, 14 Juni 2023

Tim Pengadaan Barang/Jasa PT. PJB Services

Catatan :

Peserta yang mendaftar diharapkan membawa flashdisk apabila membutuhkan softcopy dokumen

PIC Pengadaan : NERRY YUDISTYA I.R

No. HP : 081331517997

PT PJB SERVICES

Jl. Raya Bandara Juanda No. 17, Sidoarjo 61253, Jawa Timur - Indonesia

Telp. (62-31) 8548391 - 8557909, Fax : (62-31) 8548360

e-mail : info@pjbservices.com

www.pjbservices.com



Lampiran 3	:	Contoh Daftar Rincian Harga
RKS No.	:	837.RKS/SCM/PJBS/2023
Tanggal	:	07 Juni 2023

DAFTAR RINCIAN HARGA PENAWARAN

No	Item Barang/Jasa	Jumlah	Satuan	Harga Satuan	Jumlah Harga
	Pengadaan Lathe Machine 400860 Tools Workshop Kantor Pusat Dalam Rangka SKI PT PJB Services Tahun 2023				
1	Lathe Machine 860	1	Set		
2	Lathe Machine 400	1	Set		
Terbilang :				SUB TOTAL	
				PPN (11%)	
				TOTAL	

Tanda Tangan & Stempel Perusahaan

Detail Spesifikasi Tools

1. Lathe 860

No	Spesification	Detail
1	Swing over bed	Min. 860mm (34")
2	Swing over cross slide	Min. 610mm (24")
3	Swing over gap	Min. 1170mm (46")
4	Width of Gap	Min. 475mm (19")
5	Center of distance (mm)	Min. 2310 (92")
6	Length for workplace	Min. 2150
7	Spindle bore	Min. 153mm (6")
8	Spindle nose	By Manufacture
9	Taper of spindle bore	By Manufacture
10	Spindle speed	Range. 8-680 rpm
11	Spindle speed steps	Min. 12 Steps
12	Spindle center to ground	Min. 1178
13	Longitudinal feeds range	0,05 - 0,7mm
14	Cross feeds range	0,025 - 0,35 mm
15	Rapid traverse Z/X Axis	Z Axis = 3,7 M/min - X Axis = 1,8 M/min
16	Inch threads range	2 - 28
17	Metric threads range	0,8 - 14mm
18	Leadscrew pitch	By Manufacture
19	Cross slide travel	Min. 480mm
20	Compound rest travel	Min. 330mm (13")
21	Tool shank	By Manufacture
22	Tail spindle diameter	Min. 120mm (4")
23	Tail spindle travel	Min. 250mm (10")
24	Bed Width	Min. 510mm (20")
25	Spindle motor	Min. 20 HP
26	Bed	By Manufacture
27	Machine dimension (cm)	By Manufacture
28	Net weight (Kg)	Max. 6100
29	Packing dimension (cm)	By Manufacture
30	DRO	2 Axis (Brand OECD , non china, taiwan serta india)
31	Standart accessories	Steady rest (400mm)
		Coolant system
		X, Z-axis rapid traverse
		Chuck guard
		Rear splash guard
		24" 4 jaw independent chuck (Direct Mounted)
		Tool box
		Centers x 2pcs
		Center sleeve
		Working light
Back plate 16"		
Follow rest (Bronze type)		

2. Lathe 400

No	Item	Spesifikasi	Detail
1	Capacity	Swing over bed	Min. 406mm
		Swing over cross slide	Min. 238mm
		Swing over gap	Min. 580mm
		Max. turning diameter	Min. 385mm
		Width of gap in front of face plate	Min. 150mm
		Distance between centers	By Manufacture
		Width of bed	Min. 300mm
		Stroke of tool post	Min. 145mm
2	Headstock	Stroke of cross slide	Min. 265mm
		Spindle bore	Min. 51mm
		Taper of spindle bore & center	By Manufacture
		Spindle nose	By Manufacture
		Number of spindle speeds	Min. 8
3	Threading & Feeds	Spindle speed (60Hz)	Range 70 - 1800rpm
		Number of feeds	Min. 36
		Range of cross feeds	By Manufacture
		Leadscrew diameter	Min. 35mm
		Leadscrew pitch	By Manufacture
		Range of inch pitches	By Manufacture
		Range of metric pitches	By Manufacture
4	Tailstock	Quill stroke	Min. 170mm
		Quill diameter	Min. 60mm
		Quill taper	By Manufacture
5	Motor	Main motor (30 min.)	Min. 5HP
		Coolant pump motor	Min. 1/8HP
6	Machine Dimension	Height	Max. 1400mm
		Floor space	By Manufacture
		Weight	Range 1450-1550 kgs
7	Accessories	Toolkit	By Manufacture